



Woerthersee Stadium Klagenfurt

Data and facts

Company	PORR Bau GmbH in a consortium
Type	Stadium construction
Runtime	12.2005 - 09.2007
Principal	Provincial Capital of Klagenfurt Sportpark Klagenfurt Projektgesellschaft GmbH

[Project report online](#)

www.porr-group.com



An architectural gem for 32,000 football fans.

The western building which is integrated into the stadium houses the players' dressing rooms, offices, restaurants, media rooms and the VIP area and was built in three concreting phases using in-situ concrete and pre-cast concrete elements (triple walls, pre-fabricated ceilings and hollow-core slabs). The VIP Box was attached to the third upper floor, protrudes by almost 8m and runs the entire length of 100m. In-situ concrete downstand and upstand beams with hollow-core slabs and in-situ concrete supports form a spacious, detached box. The pitch roof finally consists of steel truss construction with a transparent plastic cover.

Impressions





Image notes

1

Woerthersee Stadium Klagenfurt.

The Klagenfurt stadium's transparent roof protects 32,000 visitors from rain and sunlight.

2

Woerthersee Stadium Klagenfurt.

Bottom view of Woerthersee Stadium's roof

3

Woerthersee Stadium Klagenfurt

The lower tier consists of concrete, the upper one is a steel construction.

Do you have questions about the project or would you like to learn more? Feel free to contact us for further information.

PORR AG Group Communications

Absberggasse 47

1100 Wien

T +43 50 626-0

E-Mail: comms@porr-group.com